

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name PIPELINE GOLD PROFESSIONAL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU0] Other; [PC35] Washing and cleaning products (including solvent based products); [PROC8a] Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities; [ERC8a] Wide dispersive indoor use of processing aids in open systems;

Description Beer line cleaner.

1.3. Details of the supplier of the safety data sheet

Company Chemisphere UK Ltd
Address Unit 4
 No 3 Richmond Road
 Trafford Park
 Manchester
 M17 1RE
 UK
Web www.chemisphereuk.co.uk
Telephone 0044 161 874 7200
Fax 0044 161 874 7201
Email contactus@chemisphereuk.co.uk
Email address of the competent person wilfw@chemisphereuk.co.uk

1.4. Emergency telephone number

Emergency telephone number 0044 776 724 8499
Company Chemisphere UK Ltd
 Monday - Friday 08:00 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC C; R35
 Symbols: C: Corrosive.
Main hazards Causes severe burns.
2.1.2. Classification - EC 1272/2008 Acute Tox. 4: H302; Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

2.2. Label elements

Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P101 - If medical advice is needed, have product container or label at hand. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 - Get medical advice/attention. P332+P313 - If skin irritation occurs: Get medical advice/attention.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C6 alkyl glucoside		54549-24-5	259-217-6		1 - 10%	Xi; R41	
2-ethylhexanol ethoxylate		26468-86-0			1 - 10%	Xi; R41	
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		10 - 20%	Xn; R22 C; R35	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C6 alkyl glucoside		54549-24-5	259-217-6		1 - 10%	Eye Dam. 1: H318;	
2-ethylhexanol ethoxylate		26468-86-0			1 - 10%	Eye Dam. 1: H318;	
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		10 - 20%	Acute Tox. 4: H302; Skin Corr. 1A: H314;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Keep the affected person warm and at rest. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Transfer to hospital for specialist examination.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	Do NOT induce vomiting. Drink 1 to 2 glasses of water. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Ingestion causes burns to the respiratory tract.

PIPELINE GOLD PROFESSIONAL

Revision 3
Revision date 2015-07-13

4.3. Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear self contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing and eye/face protection. Evacuate the area immediately.

6.2. Environmental precautions

For large spills: Do not allow product to enter drains. For small spills: Flush down the drain with plenty of water.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

For personal protection see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wear suitable gloves and eye/face protection. Adopt best Manual Handling considerations when handling, carrying and dispensing. Handle and open container with care. Ensure adequate ventilation of the working area. Do NOT mix with any other product.

7.2. Conditions for safe storage, including any incompatibilities

Keep locked up and out of the reach of children. Keep container tightly closed in a cool place. Keep only in original container.

7.3. Specific end use(s)

Beer line cleaning.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Potassium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Mild
pH	13.8
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	Not applicable.
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.17 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	No data available
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	Not applicable.

No further information available.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation	Causes severe burns.
Aspiration hazard	Causes severe burns.

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

Partition coefficient

	PIPELINE GOLD PROFESSIONAL No data available	Potassium Hydroxide No data available
--	--	---------------------------------------

12.4. Mobility in soil

	Miscible in water.
--	--------------------

12.5. Results of PBT and vPvB assessment

	No data available.
--	--------------------

12.6. Other adverse effects

	Harmful to aquatic organisms. Toxic to fauna.
--	---

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

	Do not empty into drains; dispose of this material and its container in a safe way.
--	---

Disposal of packaging

	Empty containers can be cleaned with water. Empty containers can be sent for disposal or recycling.
--	---

Further information

	Disposal together with normal waste is not allowed.
--	---

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN3266
--	--------

PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

14.2. UN proper shipping name

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium Hydroxide)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group II

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

Warning! Corrosive substance.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code F-A S-B

IATA

Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction (Passenger)	851
Maximum quantity	1 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	--

15.2. Chemical safety assessment

Caution - substance not yet fully tested.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas: 2 - Hazard pictograms. 2 - Precautionary Statement: Prevention.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R35 - Causes severe burns. R41 - Risk of serious damage to eyes.

PIPELINE GOLD PROFESSIONAL

Revision 3

Revision date 2015-07-13

Other information**Text of Hazard Statements in Section 3**

Eye Dam. 1: H318 - Causes serious eye damage.
Acute Tox. 4: H302 - Harmful if swallowed.
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.