

UBC TRUNK LINE



A proper beer trunk line is an essential part of any long-draw draft beer system. It may seem a small and basic part of beverage equipment, but it impacts the reliability of the whole draft beer dispensing system.

FOIL WRAP

- Additional heat barrier

FOIL AND MOISTURE BARRIER WRAP

- Prevents condensation and increases cold transfer
- 3/4" Foam Insulation
- Creating airtight insulation around the tubing bundle

GLYCOL LINES

- Color coded supply and return

RUBBERIZED EXTRUDED JACKET

- Less likely for tears or punch holes
- Minimizes resistance during pulling
- Creating waterproof bundle(Edited)

PE ULTRA PRODUCT LINES

- Ultra smooth inner service
- Reduction in formation of BioFlim
- Low adhesion of bacteria and east
- Color coded
- NSF51 and FDA approved



SCAN TO SEE
ALL UBC TRUNK
LINES



UBC COATED PYTHONS

Designed specifically to meet the combined performance requirements of durability, fire performance and flexibility.

- BS476 parts 7 & 6 Class 0 Coating
- Tough and durable protective jacket
- Suitable for demanding environments — excellent physical properties and mechanical strength
- Available in black or white colour finishes
- UV resistant option available

3/8” TRUNK LINE

PART #	DESCRIPTION	PRODUCT LINES	GLYCOL LINES	BEVEX FIRE RATED JACKET	TRUNK-LINE OD INCH	TRUNK-LINE OD MM	BTU/FT @ 36F/2.2C	BTU/FT @ 44F/6.7C
TRT16917Q	2+2	2	2	Yes	2 3/4"	70	7,2	6,3
TRE1445	2+2	2	2	Yes	2 7/8"	75	8,5	7,3
TRE1446	2+4	4	2	Yes	3"	80	9,0	7,7
TRE1447	2+6	6	2	Yes	3 1/4"	85	9,4	8,0
TRE1448	2+8	8	2	Yes	3 1/2"	90	9,7	8,3
TRE1449	4+10	10	4	Yes	3 1/2"	90	10,2	8,7
TRE1461	4+12	12	4	Yes	3 3/4"	95	11,2	9,5
TRE1462	4+14	14	4	Yes	4"	100	11,6	9,9
TRE1819	4+16	16	4	Yes	4 1/2"	115	12,1	10,3
TRE3142	4+20	20	4	Yes	4 1/2"	115	13,1	11

5/16” TRUNK LINE

PART #	DESCRIPTION	PRODUCT LINES	GLYCOL LINES	BEVEX FIRE RATED JACKET	TRUNK-LINE OD INCH	TRUNK-LINE OD MM	BTU/FT @ 36F/2.2C	BTU/FT @ 44F/6.7C
TRE1440	2+2	2	2	Yes	2 1/2"	65	6,89	5,9
TRE1441	2+4	4	2	Yes	2 3/4"	70	7,92	6,8
TRE1442	2+6	6	2	Yes	2 7/8"	75	8,56	7,3
TRE1443	2+8	8	2	Yes	3"	78	9,08	7,7
TRE1495	2+10	10	2	Yes	3"	80	9,38	8,0
TRE1444	4+10	10	4	Yes	3"	80	9,72	8,3
TRE1489	4+12	12	4	Yes	3 1/4"	85	10,20	8,7
TRE1490	4+14	14	4	Yes	3 1/2"	90	11,19	9,6
TRE1820	4+16	16	4	Yes	4 1/2"	115	11,67	10,0
TRE3143	4+20	20	4	Yes	4 1/2"	115	12,66	10,8

UBC COATED PYTHONS

- New ultra-smooth bore tube for ultimate in beverage tube performance
- Low adhesion of bacteria and yeast
- Reduced formation of "beer stone" to extend the cleaning cycle
- Color-coded beer lines for easier installation

1/4” TRUNK LINE

PART #	DESCRIPTION	PRODUCT LINES	GLYCOL LINES	BEVEX FIRE RATED JACKET	TRUNK-LINE OD INCH	TRUNK-LINE OD MM	BTU/FT @ 36F/2.2C	BTU/FT @ 44F/6.7C
TRE1436	2+4	4	2	Yes	2 1/2"	65	7,4	6,3
TRE1437	2+6	6	2	Yes	2 3/4"	70	7,9	6,7
TRE1438	2+8	8	2	Yes	2 7/8"	75	8,5	7,3
TRE1439	4+10	10	4	Yes	3"	80	9,0	7,7
TRE1491	4+12	12	4	Yes	3 1/4"	85	9,7	8,3

FROM TANK TO TAP

AND EVERYTHING IN BETWEEN



65 North Central Drive O'Fallon, MO 63366

TEL: (636) 379-2226 **TOLL-FREE:** (888) 808-9286

FAX: (866) 659-8904 **EMAIL:** info@beer-co.us **WEB:** www.beer-co.us

Follow us on:

